	Туре	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1229	(tumor adj necrosis adj	EPUI	2003/02/15 15:37
2	BRS	L7	59	Ll with (truncate or truncated or truncation or deletion or modified or modification or modify)		2003/02/15 15:37
3	BRS	L13	9	L7 with (extracellular or soluble or (cysteine adj rich adj domain))	EEFO	2003/02/15 15:38

	Inventor	s	С	P	2	3	4	5		mage Doc. Displayed	PT
1	Clary, Douglas O. et al.								US	20020054874	
2	Demopulos, Gregory A. et al.								US	20020028798	
3	MOUNTZ, JOHN D. et al.								US	20010008881	
4	Mountz, John D. et al.								US	6419919	
5	Feldmann, Marc et al.								US	5863786	
6	Clary, Douglas O. et al.								US	5753225	
7	Feldmann, Marc et al.								US	5633145	
8	Jacobs, Cindy A. et al.								US	5605690	
9	EDWARDS, C K et al.								WO	9801555 A2	

	Title	Current OR	Current XRef	Retrieval Classif
1	Antibodies that mimic actions of neurotrophins	424/143.1		
2	Irrigation solution and method for inhibition of pain and inflammation	514/210.2	514/215; 514/249; 514/338; 514/456	
3	METHOD FOR THE AUGMENTATION OF GENE EXPRESSION	514/44	424/130.1; 435/320.1; 435/325; 514/2	
4	Method for the augmentation of gene expression	424/93.2	424/185.1; 435/320.1; 435/325; 435/455; 514/2; 514/44; 530/351	
5	Nucleic acid encoding modified human tnf.alpha. (tumor necrosis factor alpha) receptor	435/252.3	435/320.1; 435/69.1; 435/69.7; 536/23.4; 536/23.5	
6	Antibodies that mimic actions of neurotrophins	424/130.1	424/141.1; 424/143.1; 424/156.1; 530/387.1; 530/388.1; 530/388.22	
7	TNF.alpha. receptor-derived binding protein	435/69.1	435/252.3; 435/320.1; 435/69.7; 536/23.4; 536/23.5	
8	Methods of lowering active TNFalpha. levels in mammals using tumor necrosis factor receptor	424/134.1	435/69.7; 514/12; 514/825; 530/350; 530/387.3; 530/866; 530/868	
9	Truncated and soluble forms of tumour necrosis factor receptor - useful for treating diseases involving factor, e.g. arthritis and adult respiratory distress syndrome			

	บ	1		ocument ID	1	Pages
1			US A1	20020054874	20020509	22
2			US A1	20020028798	20020307	58
3			US A1	20010008881	20010719	19
4			US	6419919 B2	20020716	18
5			US	5863786 A	19990126	43
6			US	5753225 A	19980519	21
7	<u> </u>		US	5633145 A	19970527	43
8			US	5605690 A		27
9			WO	9801555 A	19980115	206

	Туре	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	Ll	1229	(tumor adj necrosis adj factor adj receptor) or	USPAT; US-PGP UB; EPO; JPO; DERWEN T	2003/02/13 15:19
2	BRS	L7	2	Ll with (truncate or truncated or truncation) with (soluble or extracellular)		2003/02/13 15:20

	บ	1	Document ID	Issue Date	Pages
1			US 20020028798 Al	20020307	58
2			US 5605690 A	19970225	27
3			WO 9801555 A	19980115	206

•

	Title	Current OR	Current XRef	Retrieval Classif
1	Irrigation solution and method for inhibition of pain and inflammation	514/210.2	514/215; 514/249; 514/338; 514/456	
2	Methods of lowering active TNFalpha. levels in mammals using tumor necrosis factor receptor	424/134.1	435/69.7; 514/12; 514/825; 530/350; 530/387.3; 530/866; 530/868	
3	Truncated and soluble forms of tumour necrosis factor receptor - useful for treating diseases involving factor, e.g. arthritis and adult respiratory distress syndrome			

	Inventor	S	С	P	2	3	4	5	Image Doc. Displayed	РТ
1	Demopulos, Gregory A. et al.								US 20020028798	
2	Jacobs, Cindy A. et al.								US 5605690	
3	EDWARDS, C K et al.								WO 9801555 A2	